

## **FICHE TECHNIQUE**

## EMBOUT MALE DIN SERIE LOURDE FILETAGE METRIQUE CONE 24°



<u>Température de service</u> : -20°C / +100°C

Acier EZ

Désignation	Ø Int. Tuyau		Filetage
	Pouces	DN	Met - Tube
S 04,8 EFAF 06	3/16	4	14x150-06
S 04,8 EFAF 08	3/16	4	14x150-06
S 06 EFAF 06	1/4	6	14x150-06
S 06 EFAF 08	1/4	6	16x150-08
S 06 EFAF 10	1/4	6	18x150-10
S 08 EFAF 10	5/16	8	18x150-10
S 08 EFAF 12	5/16	8	20x150-12
S 08 EFAF 14	5/16	8	22x150-14
S 10 EFAF 10	3/8	10	18x150-10
S 10 EFAF 12	3/8	10	20x150-12
S 10 EFAF 14	3/8	10	22x150-14
S 10 EFAF 16	3/8	10	24x150-16
S 13 EFAF 14	1/2	13	22x150-14
S 13 EFAF 16	1/2	13	24x150-16
S 16 EFAF 16	5/8	16	24x150-16
S 16 EFAF 20	5/8	16	30x200-20
S 16 EFAF 25	5/8	16	36x200-25
S 19 EFAF 20	3/4	19	30x200-20
S 19 EFAF 25	3/4	19	36x200-25
S 25 EFAF 25	1	25	36x200-25
S 25 EFAF 30	1	25	42x200-30
S 32 EFAF 30	1"1/4	32	42x200-30
S 32 EFAF 38	1"1/4	32	52x200-38
S 38 EFAF 38	1"1/2	38	52x200-38



Diffusion Spécialisée de Flexibles 444, Rue des Jonchères Bât. 16 69730 GENAY

Tél.: 04.37.40.84.17/ Fax: 04.37.40.84.16/ Mail: contact@dsf-lyon.fr